## SINC Bioledinology Systems Branch

### RANW STROUGH CE LISTHING

#### RRROREREPORT

The Biotechnology Systems Branch of the Scientific and Technical Information— Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:

Source:

r been le

Date Processed by STIC:

10/555, 583

2005

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, \
- TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT,

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.2.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.


Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
   U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street,
   Alexandria, VA 22314

Revised 01/24/05

BEST AVAILABLE

ERROR DETECTED	SUGGESTED GORREGIION SERIAL NUMBER: 10/353 JOS
AUTN-NEW RULES GASES	AND THE
Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next-line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to 3; this will prevent "wrapping."
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.
Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
5Variable Length	Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
6PatentIn 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing.  Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.  In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
10Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence
Use of <220>.	Sequence(s) Imposing the <220> "Feature" and associated numeric identifiers and responses.  Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or Unknown." Please explain source of genetic material in <220> to <223> section.  (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
"bug"	Please do not use "Copy to Disk" function of Patentln version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
13 Misuse of n/Xaa	"n" can only represent a single nucleotide; "Xaa" can only represent a single amino acid
	AMC - Biotechnology Systems Branch - 09/09/2003



----

Input Set No Washeed\Sequence Listing 03500.102556.txt
Output Set No Washeed\Sequence Listing 03500.102556.txt

		-		.:	• •			7	. 44		-					•		
	549	Ala	Ser	Ala	Arg	Met	Val	Leu	Arg	Gln	Alà	'Ile	Lys	Gln	Pro	Val	His	
E>							<del>-</del>	-	(4)	140	1			4	345		+ + 2	
	552	Ser	Val	Lys	His	Val	Ala	His	Phe	Gly	<u>Leu</u>	<u>-Glu</u>	Leu	Lys	Asn	Val	Leu	_
B>	553	·	<b>66</b> )	-50				(55)	-55	<del>-</del>			· (60	360				
	555	Leu	Gly.	ysنٽز	Ser	Gly	Leu	Gln	Pro	Thr	Şer	Asp	Asp	Arg	Arg	Rhe	Ala	
E>			63			•	<i>(</i> 10)	70			•		<del>)</del> 75					80
			Pro	Ala	Trp	Ser	Gln	Asn	Pro	Len	Tyr	Lys	Arq	Tyr	Leu	Gln	Thr	
E>		$\omega$			' -		85	``•;	==	•	90	_			•		95 <sup>.</sup>	
		_		`Ala	Tro		Lys		. 1		Asp	Trp	Ile	Asp	Glu	Ser	Asn	
E>		-1-			100		-10				05	P			11			
		T.em	Δla	Pro		-	Val	Δla	Ara	-		Phe	Val	Tle	Asn	Len	Met	
E>		200	1114	115	_,,	1155	•		120		****				25	200		
B>	-	Thr	Glu		Mot	בות	Pro	Thr			Δla	Δla	Δen			Δla	Wa l	- 1
	568		130		1100	2124	110	135			****	****	140					- 1
		Lare		Dhe	Dho	Glu	Thr			Lare	Ser	T.611			Glv	T. <b>-</b> 11	Sar	
E>		_	ALG	FIIC	FIIC	Giu	150	_	Gry	цуз	Jer		55	лор	Gry	LCu		160
B>			T 011	ח ז ת	Tara	7 an	Leu	-	uic	Non	Clv			Dro	Cor	Gl n		
		птэ	пец	Ala	ьys	_		vai	птр	ASII		70	MEC	PIO	Ser		175	- 1
E>		7.00	Mot	C1	77-	16!		77-7	C1	Tira			C1.,	17.7	Th∽			
		ASII	Mec	GIY			Glu	vaı	GIY	_		neu	GLY	vai			GIY	- [
E>		77-	**- 1	**- 3	180		7	7	**- 7		85	T	T1 -	<b>01</b> =		L90	D	- 1
_		Ата	vai		Pne	Arg	Asn	Asp			GIU	Leu	ire		_	гаг	PIO	-
E>		m1	m)	195	<b>~</b> 1			<b>~</b> 1	20		<b>.</b>	<b>.</b>	77- 7		)5 D	D	<b>~1</b>	1
_		Thr		GIu	GIn	vai	Tyr		_	Pro	ьeu	Leu			Pro	Pro	GIn	1
E>			210	_	<b>_</b> ,	_		21!		_		_		20		•		
			Asn	Lys	Phe	Tyr	Val	Phe	Asp	Leu	Ser		Asp	ьуs	Ser	ьeu		. \
		225		_	_	_	230		<b>-</b>			235			_	_	240	, /
		Arg	Phe	Cys	Leu		Asn	Asn	Val	Gln			He	Val	Ser			
E>						_	45		_			250					255	$\wedge$
		Asn	Pro	Thr	_		Gln	Arg	Glu	Trp	Gly	Leu	Ser	Thr			Glu	
E>					260	_					55				_	270		
		Ala	Leu	Lys	Glu	Ala	Val	Asp	Val	Val	Thr	Ala	Ile			Ser	Lys	- 1
E>				275					28					28	_			1
	597	Asp	Val	Asn	Met	Leu	Gly	Ala	Cys	Ser	Gly	Gly	Ile	Thr	Cys	Thr	Ala	- 1
E>			290						95					00				1
	600	Leu	Leu	Gly	His	Tyr	Ala	Ala	Ile	Gly	Glu	Asn	Lys	Val	Asn	Ala		1
	601						310					315						20
	603	Thr	Leu	Leu	Val	Ser	Val	Leu	Asp	Thr	Thr	Leu	Asp	Ser	Asp	Val	АĻа	١
E>						32!						30					335 _	1
	606	Leu	Phe	Val	Asn	Glu	Gln	Thr	Leu	Glu	Ala	Ala	Lys	Arg	His	Ser	Tyr	1
E>	607				340	0				34	15				3	350		
	609	Gln	Ala	Gly	Val	Leu	Glu	Gly	Arg	Asp	Met	Ala	Lys	Val	Phe	Ala	Trp	
E>	610			355	5				36	50				3	365			
	612	Met	Arg	Pro	Asn	Asp	Leu	Ile	Trp	Asn	Tyr	Trp	Val	Asn	Asn	Tyr	Leu	
E>	613		370	)				3	75				38	30				
	615	Leu	Gly	Asn	Glu	Pro	Pro	Val	Phe	Asp	Ile	Leu	Phe	Trp	Asn	Asn	Asp	
E>			_				390			Ī		395		-				100
	618	Thr	Thr	Arg	Leu	Pro	Ala	Ala	Phe	His	Gly	Asp	Leu	Ile	Glu	Leu	Phe	_/
E>				_		40						10					L5	
	621	Lys	Asn	Asn	Pro	Leu	Ile	Arg	Pro	Asn	Ala	Leu	Glu	Val	Cys	Gly	Thr	
		-						_							_	-		

Sand Server

# Input Set: N:\Rasheed\Sequence Listing 03500:1025565 ext Output Set: N:\CRF4\12012005\J555383.raw.is

P: 5	622	4			42	0		<del></del> ·	, <u> </u>	425					mine?	30		
s. <del>-</del>	624	Pro	Tle	Ago	Len-	LVS	Gl n	-Val	Thr	·Ala						-	Gly	\ 
	625						· · · · · · · · · · · · · · · · · · ·			)				44!			2	
_		Thr	Asn	Asp	His	Ile	Thr	Pro		Lys						Ala	Gln	
	628						****	455				•	460		<del>-</del>			
		Leu				-	Val		Phe	Val	Leu	Ser	Ser	Ser	Glv	His	Ile	
E>				2	2		4			-			75				48	0
			Ser	Ile	Leu	Asn		-	Glv	Äsn	Pro	Lys	Ser	Arg	Tyr	Met		
E>				. • • •		485			2	•	490			7	4		95	/
		Ser	Thr	Glu	Val	Ala	Glu	Asn	Ala	Asp	Glu	Trp	Gln	Ala	Asn	Ala	Thr	- 1
E>					500					505		•			51			- 1
		Lys	His	Thr	Asp	Ser	Trp	Trp	Leu	His	Trp	Gln	Ala	Trp	Gln	Ala	Gln	- [
E>		•		515			-	•	520		-				25			
		Arq	Ser_	Gly	Glu	Leu	Lys	Lys	Ser	Pro	Thr	Lys	Leu	Gly	Ser	Lys	Ala	- [
E>		J	530	_			•	53!				-		10		-		- [
	645	Tyr	Pro	Ala	Gly	Glu	Ala	Ala	Pro	Gly	Thr	Tyr	Val	His	Glu	Arg		- 1
	646				-		550			_		555				_		- 1
	648	<210	)> SE	EQ II	ONO:	36												
	649	<211	L> LE	ENGTE	I: 56	50												
	650	<212	2> T)	PE:	PRT													- \
	651	<213	3> OF	RGANI	ISM:	Pset	adomo	onas	cicl	nori	L YN2	2 ; 1	FERM	BP-	7375			
	653	<400	)> SE	EQUE	VCE:	36												/
	654	Met	Arg	Asp	Lys	Pro	Ala	Arg	Glu	Ser	Leu	Pro	Thr	Pro	Ala	Lys	Phe	- 1
	655	1				5					10					15		1
	657	Ile	Asn	Ala	Gln	Ser	Ala	Ile	Thr	Gly	Leu	Arg	Gly	Arg	Asp	Leu	Val	- 1
	658				20					25					3 (	)		1
		Ser	Thr	Leu	Arg	Ser	Val	Ala	Ala	His	Gly	Leu	Arg	His	Pro	Val	His	l
E>				35					40						45			1
		Thr		Arg	His	Ala	Leu		Leu	Gly	Gly	Gln			Arg	Val	Leu	
E>			50					55			_			50				
_			Gly	Asp	Thr	Leu			Thr	Asn	Pro			Arg	Arg	Phe	Asp	
E>					_	_	- 70	-	_	-1			75		<b>.</b>	<b>~</b> 3		80
<b>-</b> .		Asp	Pro	Ата	Trp		Leu	Asn	Pro	Phe			Arg	ser	ьeu	GIN		
E>		Th	<b>T</b>	0	m	85	<b>.</b>	<b>~1</b>	17- 1	T	_	90 	<b>71</b> -	7	<b>01</b>	C	95	
		Tyr	Leu	ser	_	GIN	гÃг	GIN	vai	Lys		Trp	TTE	Asp			ASII	
	673	Mak	C	D	100	2	B	71.	7	105		Dha	77-	Dha	110		T 016	
<b>5</b>		Mec	Ser		Asp	Asp	Arg	АТА		Ala 20	пть	PHE	Ата		125	ьеu	пер	
E>		7 an	λan	115	Wal.	Cor	Dro	C0*		Ser	T 011	T 011	λαη			ב ו ג	T10.	
E>			130				PIO						14		ьец	Ala	116	
5>								-		Asn	Ser	T.011	77a]	Δra	Glv	Tla	Gl v	
	682		GIU	110	LIIC	Abii	150	GLY	OLY	non	DCI	155		my	OI,	110	160	,
			Leu	Val	Aen	Aen		Leu	Hic	Asn	Asn			Pro	Ara	Gln		,
E>		*****		vu_	rap		55	ьçи	1113	11011		L70	Leu	-10	9	0111	175	
57		Thr	Ara	Hic	Δla			Val	Glv	Lys			Δla	Thr	Thr	Thr		,
E>			9		180		- Lu	· u 1	Cry	18		•41	u		19		J- J	
		Ala	Val	Val			Asn	Glu	Len	Leu		Leu	Tle	Gln		-	Pro	
E>				195		9		Ų I U		00					05	-1-		
		Met	Ser			G] n	Tvr	Ser		Pro	Leu	Leu	Val			Pro	Gln	
					-10	~	-1-	~~-	-15									

Sourt Perrol

No US/10/555<sub>0</sub>36<mark>3 - UME:: 14::09:0</mark>2

Input Set:: N:\Rasheed\Sequence;Listing=03500.102556.txt

	- 1- ·				2.				-	-		4			direct :		- 12 U-12	
B>					 	N			25				22	· · · · · · · · · · · · · · · · · · ·				
				Lys-	Tyr	Tyr-	Ile	Phe:	Asp	Leu-	Ser	Pro	His	Asn	Ser	Phe	Val-	
·	697	225	<del></del>	:	<del></del>		230	-				235					240	
	699	Gln	Phe	Ala	Leu	Lys	Asn	Gly.	Leu	Gln	Thr	Phe	Val	Ile	Ser	Trp	Arg	
E>	7.00		-	· ••• • ·		245	5				- 4	250-				25	;5	•
	702	Asn	Pro	Asp	Val	Arg	His	Arg	Glu	Trp	Gly	Leu	Ser	Thr	Tyr	Val	Glu	
E>	703			. ^	26	50				26	55				2	270		
	705	Ala	Val	Glu	Glu	Ala	Met	Asn	Val	Cys	Arg	Ala	Ile	Thr	Gly	Ala	Arg	
E>				275					28					28	-			
	708	Glu	Val	Asn	Leu	Met	Gly	Ala	Cys	Ala	Gly	Gly	Leu	Thr	Ile	Ala	Ala	
E>			290					29	-				_	00				
	711	Leu	Gln	Gly	His	Leu	Gln	Ala			Gln		Arg	Arg	Val	Ser	Ser	
E>							310			•		_ 31						20
		Ala	Thr	Tyr	Leu			Leu	Leu	Asp			Leu	Asp	Ser			
E>			_		- <b>-</b>	32!	_			_		30		_	_		335	
		Thr	Leu	Phe			Glu	Gln	Thr			Ala	Ala	Lys			Ser	
E>		<b></b>	<b>~1</b>	<b>-</b>	340			<b>a</b> 1	<b>a</b> 1	34		W-4	77.	T	_	350	77-	
<b>-</b> .		Tyr	GIN	_	_	vaı	ьeu	GIU	_	_	Asp	Met	Ala	_	vai 365	Pne	Ald	
E>		Ten	Mot	355		A cm	N an	T 011	36	-	Car	Тиг	Phe			λen	ጥኒኒን	
E>		пр	370	Arg	PIO	ASII	Asp		75	пр	SEI	ıyı	380		MOII	ASII	IYL	
5>		T.e.ii		Glv	Lvc	Glu	Pro			Phe	Δsn	Tle	Leu		Trn	Asn	Asn	
E>			HEC	Gry	пуз	Gru	390		nια	1110	r.op		95	- 7 -		11011	40	0
			Asn	Thr	Ara	Leu			Ala	Leu	His		Asp	Leu	Leu	Asp		٦
E>							05					110					415	- 1
_		Phe	Lvs	His	Asn	_		Ser	His	Pro	Gly	Gly	Leu	Glu	Val	Cys	Gly	- 1
E>			•		420					425	_	-			43		_	1
	735	Thr	Pro	Ile	Asp	Leu	Gln	Lys	Val	Thr	Val	Asp	Ser	Phe	Ser	Val	Ala	
	736			435					440	)				445	5			
	738	Gly	Ile	Asn	Asp	His	Ile	Thr	Pro	Trp	Asp	Ala	Val	Tyr	Arg	Ser	Thr	1
	739		450					455					460					,
	741	Leu	Leu	Leu	Gly	Gly	Glu	Arg	Arg	Phe	Val		Ala	Asn	Ser	Gly		
E>					_		470						175			_		480
		Val	Gln	Ser	Ile		Asn	Pro	Pro	Asn			Lys	Ala	Asn			
E>					_	485	_	_	_	_	490		_	<b></b>			95	
_		Glu	GLY	Ala	_		Ser	Ser	Asp			Ala	Trp	Tyr			Ala	
E>		<b>T</b>	D	**- 7	500	-	<b>0</b>		W	5(		m	T	~1	51		/ (1)	
п.	_	гуѕ	Pro		Asp	GIY	ser	Trp			Gin	Trp	Leu			TIE	GIII.	
E>		C1	7 ~~~	515	C1	71-	C1 5	Tura	520		uic	Mot	- וג		25 Glw	λαν	Cln	
E>		GIU	530	ser	GIY	Ald	GIII	ьуs 53!		1111	птъ	Mec	Ala	Leu 10	GIY	ASII	GIII	
P>		λαη		Dro	Dro	Mot	Chu			Dro	Glv	Thr	Tyr	-	Δra	Val	Ara	
	757		ıyı	PIO	PIO	Mec	550	міа	міа	PIO	Gry	555	_					n
			L0>^S	rn i	וא מז	)· 1'						55.	,			,	50	
			l1> I				, <u>.</u>								0	7,	NOV	
			12> 1											Kar	w	$\mathcal{O}$	56 VON	
							tific	cial	Sea	ience	•		77	J				
			20> I			<b></b> ,	`	 س			<del></del>	1	/					
						FORM	OITA	N: ai	nodia	sk me	embra	ane-l	oindi	ing r	pepti	ide		
														- •	_		}	

Same Errod

كالمته

- 198		Output Set:	N:\CRF4\120	12005\J55	383 raw	
300 St.			· · · · · · · · · · · · · · · · · · ·			- Alabana -
239	3 <40.0 > . SI	EQUENCE: 172			A STATE OF THE STA	
239	Val Tyr	Ala-Asn=Gln Th	r Pro Pro Se	r Arg Ala	Arg Ala-Lys	Ala=Arg
	130		-	10	224	15
240	2 <210>- SI	EQ ID-NO:-173-				
240	3 <211> LI	ENGTH: 20				
2404	4 <212> T	YPE: PRT			Come	Erner
240	5 <213> OF	RGANISM: Artifi	cial Sequence	e 🥕	7 300	
240	7 <220> FI	EATURE:				
240	3 <223 > 07	THER INFORMATIO	N: (anodisk m	embrane-b	inding peptid	e
2410	<400> SI	EQUENCE: 173				
241	l Val Tyr	Ala Asn Gln Th	r Pro Pro Se	r Lys Ala	Arg Tyr Ala	Gln
E> 2412	2 1	5		10		15
241	3 Thr Pro	Pro Ser Arg .				
2414	1	20			<del></del>	

Disco Charles shown exist that the continue of the charles of the charles appeared for similar errors.

N:\Rasheed\Sequence Listing-03500:102556.txt

```
Input Set: N:\Rasheed\Sequence Pffsting 03500:102556.txt
```

a la de la

3 M:270 C: Current Application Number differs, Replaced Current Application The second secon Number L:14 M:271-C:-Current-Filing Date differs, Replaced Current Filing Date L:285 M:332-E: (32) Invalid/Missing Amino Acid-Numbering, SEQ ID:22 L:393 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:31 L:411 M:283 W: Missing Blank Line separator, <220> field identifier L:475 M:283 W: Missing Blank Line separator, <220> field identifier TL:544 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:547 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:550 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:553 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:556 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:559 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:562 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:565 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:571 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:574 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:577 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:580 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:583 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:589 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:592 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:595 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:598 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:604 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:607 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:610 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:613 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:616 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:619 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:622 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:631 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:634 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:637 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:640 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:643 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:35 L:661 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:664 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:667 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:670 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:676 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:679 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:685 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:688 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:691 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:694 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:700 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:703 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:706 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36

WERDON CATHON SUMMARY

#### input—Set: N:\Rasheed\Sequence\_Listing-03500-102556output=Sets N:\CRF4\12012005\J555383.raw

Tr:709-M:332-E:-(32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:712 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID: L:715 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:718 M:332-E: (32)-Invalid/Missing Amino Acid Numbering, SEQ ID:36----- L:721 M:332 E: (32) #Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:724 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:727 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:730 M:332 E: (32) "Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:733 M:332 E: (32) Trivalid/Missing Amino Acid Numbering, SEQ ID:36 L:742 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:745 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:748 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:751 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:754 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:36 L:2400 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:172 L:2412 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:173